

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**


**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**  
**Tensile strength: 9.81 MPA**  
**Elongation: 347%**  
**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**  
**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**

**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

*please send us an email:*

<b>Hardness</b>	<b>65 Shore A</b>
<b>Tensile strength</b>	<b>9.81 MPA</b>
<b>Elongation</b>	<b>347%</b>
<b>High temperature resistance</b>	<b>240 C degrees for 72 hours, no damage, passed</b>
<b>Low temperature resistance</b>	<b>-50 C degrees for 24 hours, no damage, passed</b>

**Whatsapp: +86 15013829504**

**WeChat: wecan365**

*If you want to learn more,*

*please send us an email:*

**cnc@cncGlass.com**

**Whatsapp: +86 15013829504**

**WeChat: wecan365**

*If you want to learn more,*

*please send us an email:*

**cnc@cncGlass.com**

**Whatsapp: +86 15013829504**

**WeChat: wecan365**



**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**


**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**


Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**


**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**


Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**


Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86-15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**


**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**


Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**

**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
**Flat and smooth and shiny square silicone to make the perfect edge in glass lamination**  
**1mm\*10mm**  
**10mm\*14mm**  
**18mm\*22mm**  
**5mm\*15mm**  
**Other sizes are available too**  
**Both sides smooth face**

**Silicone strip Technical datasheet**


**Hardness: 65 Shore A**

**Tensile strength: 9.81 MPA**

**Elongation: 347%**

**High temperature resistance: 240 C degrees for 72 hours, no damage, passed**

**Low temperature resistance: -50 C degrees for 24 hours, no damage, passed**



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,

please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
cnc@cncGlass.com  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
www.cncglass.com

**Silicone strip for safety glazing, glass lamination vacuuming, EVA PVB SGP**  
Flat and smooth and shiny square silicone to make the perfect edge in glass lamination  
1mm\*10mm  
10mm\*14mm  
18mm\*22mm  
5mm\*15mm  
Other sizes are available too  
Both sides smooth face

**Silicone strip Technical datasheet**

Hardness: 65 Shore A

Tensile strength: 9.81 MPA

Elongation: 347%

High temperature resistance: 240 C degrees for 72 hours, no damage, passed

Low temperature resistance: -50 C degrees for 24 hours, no damage, passed



If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

If you want to learn more,  
please send us an email:

[cnc@cncGlass.com](mailto:cnc@cncGlass.com)

Whatsapp: +86 15013829504

WeChat: wecan365

Peter Lin  
[cnc@cncGlass.com](mailto:cnc@cncGlass.com)  
Whatsapp: +86 15013829504  
WeChat: wecan365  
Mobile: +86 15013829504  
[www.cncglass.com](http://www.cncglass.com)