CNCGLASS
CNC Ucolin Interlayer Technology Co., Ltd.
SHENZHEN, GD, CHINA
Peter Lin · cnc@cncglass.com · WhatsApp / Mobile +86 15013829504
WeChat wecan365 · www.cncglass.com

Laminated Glass Interlayers for Extreme-Cold Theatre Facades and Skylights

A theatre in a winter city

The Harbin Grand Theatre, on the city's Cultural Island, is a well-known work by MAD Architects. Completed in the mid-2010s, it comprises a large house and a smaller theatre in sculptural, snow-like volumes, with a published floor area on the order of 79,000 square meters and a glass system of tens of thousands of square meters. The climate is the other half of the brief. Winters in Harbin regularly fall well below minus 30 degrees Celsius, and the yearly swing at the glass skin is very wide. We treat the building as a reference for cold-climate cultural glazing, not as a project supplied by CNCGLASS.




Figure 1. A four-sided pyramid skylight module assembled from two right-angled triangular plates. Thousands of unique modules may be required.

Pyramid skylights and a faceted, curving envelope

One of the striking glass features in a project of this type is a field of faceted skylight modules, often described as four-sided pyramids assembled from right-angled triangular plates, with thousands of unique pieces and no simple repetition. Each module must transmit daylight, remain watertight, and sit in a triple-glazed laminated construction that can actually be fabricated to tight tolerances on a curved or faceted support. The interlayer is what makes those triangular lites into safety glass, and what helps the unit stay clear through the winter.

The wider facade mixes metal, curved laminated curtain wall, and other materials. Daylight, airtightness, and energy performance have to be achieved together. Millimeter-level fit to a custom support is a fabrication requirement. So is a maintenance strategy: external access rails and, in a snow city, provisions such as heating cables or designed drainage so that ice does not pond on the glass. The film cannot melt snow, but a failed laminate would make every maintenance visit more difficult.



Figure 2. A wide yearly temperature swing on the glass skin, from deep winter to a summer high, which the interlayer, sealant, and insulating unit must all survive.

What the interlayer must survive

Deep cold, repeated freeze-thaw, and a yearly temperature range of many tens of degrees Celsius are the first tests. The laminate must not haze, bubble, or peel after those cycles. A well-processed PVB or, where residual stiffness is required, an ionoplast, inside a triple insulating unit, is the usual architectural answer. Structural silicone, tight joints, and compatible coatings complete the weathertight skin. Acoustic interlayers matter in a theatre: the facade and the skylights should not deliver traffic or wind noise into the house.

Safety over occupied halls and stages is not negotiable. Laminated plies retain fragments if a lite is broken under snow load or impact. Optical stability is part of the architectural idea; a milky skylight would dull the winter light that the form is meant to catch. Edge stability through thermal cycling is as important here as it is on a humid coast, even though the moisture mechanism is different.




Figure 3. A cold-climate skylight is a system: triple insulating glazing, laminated safety plies, acoustic film, tight joints, snow management, and optical stability through freeze-thaw.

Specify a system, not only a film name

A cold-climate theatre brief should name, together: triple insulating glazing for condensation and heat-loss control; laminated safety glass over public space; acoustic performance; structural silicone and joint movement; snow management; and freeze-thaw optical and bond stability. The interlayer is one line in that system, and it is a decisive one. In sub-zero weather, laminated glass becomes the working skin of the building, provided the process and the detail are equal to the climate.

Extreme-cold cultural buildings ask laminated glass to remain clear, bonded, quiet, and safe through winters that would expose every weakness in a temperate cycle. The Harbin Grand Theatre shows the scale of that duty: unique skylight modules, a sculptural envelope, and a climate well below freezing. Specify the interlayer as part of a triple-glazed, acoustic, freeze-thaw-qualified system, and do not confuse a landmark photograph with a completed performance brief.

Contact Us

Brand: CNCGLASS

Company: CNC Ucolin Interlayer Technology Co., Ltd.
Address: SHENZHEN, GD, CHINA
Contact: Peter Lin
Email: cnc@cncglass.com
WhatsApp / Mobile: +86 15013829504
WeChat: wecan365
Website: www.cncglass.com

We can advise on PVB and ionoplast interlayers for cold-climate facades and skylights, including acoustic build-ups and process conditions that favor freeze-thaw stability.